



NON-RATED METAL ACCESS PANELS RANGE

Metal Access panels are built with a steel panel door and frame, pre-primed in white with a huge range of stocks available. These metal access hatches are designed to meet your access needs while maintaining the style of the building.

KEY FEATURES



- Designed for easy install
- White primed steel frame and panel
- Durable interchangeable cam locks
- Flange options
- Lock options
- Made locally & fully customisable

APPLICATIONS



TRADES



TABLE OF CONTENTS



Section		Page
Specifications		3
Custom Access Panels		4
System Range - Flanged Edge (Picture Frame)		5
System Range - Wet Wall (Set Bead)		6
Custom Order Form		7
Installation	Plasterboard	8
	Masonry	9
Technical Drawing	Metal Technical Drawing - Plasterboard / Masonry	10
	Touch Latch Technical Drawing - Plasterboard / Masonry	11
FAQ		12

METAL ACCESS STANDARD RANGE



Click
here to go back to
Contents

SPECIFICATIONS



The Trafalgar Access difference		TRAFALGAR ACCESS	Others
Door Panel	Pre-primed white steel frame and panel as standard	✓	?
Frame	<p>Fully welded, fully primed, steel frame Flanged Edge/Feathered Edge (picture frame) and Wet Wall/Set Bead (plastering flush frame)</p> <ul style="list-style-type: none"> • APM - Full profile: 54mm Low profile: 30mm (used for sizes 600 x 600mm and under) • TLM - Full profile: 65mm, Low profile: 42mm 	✓	?
Nominally Sized	Easy install sizing, a 450x450mm access panel is manufactured at 445 x 445mm for good fitment in a 450 x 450mm cutout	✓	?
Mounting Tabs	Easy to use pre-installed fixing tabs for simple installation	✓	?
Hinge	<p>Fully concealed pin hinges Piano hinges standard on larger size panels</p>	✓	?
Durable Cam Locks	<p>Durable cam locks without circlips to prevent locks dropping out. Our cam locks are also interchangeable. Standard ranges come in:</p> <ul style="list-style-type: none"> • APM - Square Allen Key Cam lock Key cam lock • TLM- Touch Latch (concealed) 	✓	?
Packaging	Packaged to avoid freight damage	✓	?
Customisation Available	<p>Double or single doors Stainless Steel Oversized and odd shapes Custom locks</p>	✓	?

Trafalgar Access also supply a comprehensive range of fire rated, acoustic, customwood, security and specialty access panels.

PERSPEX

DOUBLE DOORS

MADE LOCALLY MEANS VERSATILITY



SPECIALIST LATCHES

COLOURS

We can help you with your special projects!

OVERSIZED

Customisation options include:

[Click here to go back to Contents](#)

- 🔑 A huge range of sizes including odd shapes and oversized
- 🔑 Single and double doors
- 🔑 Flanges, latches, and hinges
- 🔑 Panel material - including stainless steel
- 🔑 Colour options

All this made locally means fast turn around.

Talk to the Trafalgar Team today to design your custom Access Panel.*

*Customisation options limited for Acoustic and Fire Rated Access Panel ranges.


ODD SHAPES

Frame Type FLANGED EDGE (FEATHERED EDGE)

Picture Frame



Frame detail



Panel installed
(TLM Shown)



Click here to go back to Contents

STANDARD STOCK


Model	Panel FE Panel door + picture frame primed white	Lock	Item Number	Dimensions (mm)	Frame Profile (mm)	
					Low Profile 30	Full Profile 54
APM		Square allen key cam lock 	APM- 200-FE	200 x 200	✓	
			APM- 300-FE	300 x 300	✓	
			APM- 400-FE	400 x 400	✓	
			APM- 450-FE	450 x 450	✓	
			APM- 530-FE	530 x 530	✓	
			APM- 550-FE	550 x 550	✓	
			APM- 600-FE	600 x 600	✓	
			APM- 12060-FE	1200 x 600		✓
APM-KC		Key cam lock 	APM-KC-300-FE	300 x 300	✓	
			APM-KC-450-FE	450 x 450	✓	
			APM-KC-530-FE	530 x 530	✓	
			APM-KC-550-FE	550 x 550	✓	
			APM-KC-600-FE	600 x 600	✓	
TLM		Touch latch (concealed) 	TLM-300-FE	300 x 300	✓	Low Profile 42mm Full Profile 65mm
			TLM-450-FE	450 x 450	✓	
			TLM-530-FE	530 x 530	✓	
			TLM-550-FE	550 x 550	✓	
			TLM-600-FE	600 x 600	✓	

Frame Type WET WALL (SET BEAD)

Concealed Frame



Frame detail



Panel installed
(TLM Shown)



Click here to go back to Contents






STANDARD STOCK

Model	Panel WW Panel door + picture frame primed white	Lock	Item Number	Dimensions (mm)	Frame Profile (mm)	
					Low Profile 30	Full Profile 54
APM		Square allen key cam lock 	APM-200-WW	200 x 200	✓	
			APM- 300-WW	300 x 300	✓	
			APM- 400-WW	400 x 400	✓	
			APM- 450-WW	450 x 450	✓	
			APM- 530-WW	530 x 530	✓	
			APM- 550-WW	550 x 550	✓	
			APM- 600-WW	600 x 600	✓	
			APM- 12060-WW	1200 x 600		✓
APM-KC		Key cam lock 	APM-KC-300-WW	300 x 300	✓	
			APM-KC-450-WW	450 x 450	✓	
			APM-KC-530-WW	530 x 530	✓	
			APM-KC-550-WW	550 x 550	✓	
			APM-KC- 600-WW	600 x 600	✓	
TLM		Touch latch (concealed) 	TLM-300-WW	300 x 300	Low Profile 42mm ✓	Full Profile 65mm
			TLM-450-WW	450 x 450	✓	
			TLM-530-WW	530 x 530	✓	
			TLM-550-WW	550 x 550	✓	
			TLM-600-WW	600 x 600	✓	



CUSTOM ACCESS PANELS METAL

Metal Access Panels are the perfect choice for interior design, ideal for painting, veneering, wallpapering or laminating. Please complete this form for each size panel you require and submit for quotation. All panels will be manufactured 5mm smaller than the opening size in wall or ceiling to a tolerance of +/-2mm.

Frame Type	Custom Dimensions (mm)	Application	Lock
WET WALL (SET BEAD) Code: APM-CUSTOM-WW TLM-CUSTOM-WW (TOUCH LATCH)  Set Bead for Plastering  Panel installed (APM Shown)	Height  Width 	 Ceiling  Wall	 Square Allen Key Cam (as standard)  Silver Square Allen Key Cam
	Special Instructions 		
	FLANGED EDGE (FEATHERED EDGE) Code: APM-CUSTOM-FE TLM-CUSTOM-FE (TOUCH LATCH)  Picture Frame  Panel installed (APM Shown)	 FULL PROFILE 54MM (TOUCH LATCH LOCK 65MM)	 Single Door  Double Door Recommended Single Door up to 2400 x 1100 and Double Door up to 2400 x 2200mm
 LOW PROFILE 30MM (TOUCH LATCH LOCK 42MM)		Full Profile Frame  Kaba Nightlatch	

Click here to go back to Contents

CUSTOMER DETAILS

Please complete this form for each size panel you require and submit for quotation to sales@tgroup.com.au

By accepting this custom product quote, you are agreeing to the manufacture of a custom product which is subject to **Trafalgar's Terms and Conditions.**

Company Name

Contact Name

Quantity | Date

E-mail | Phone


Signature

INSTALLATION METAL ACCESS PANELS

PLASTERBOARD



MARK



Mark and cut out hole the same size as the access panel. You can use the panel as the template. For a 600 x 600mm nominal APM, the ideal cutout size is 600 x 600mm.



PREPARE



The opening must be framed with studs/nogging to affix the panel to.

Click
here to go back to
Contents



FIT



With the door open, screw the frame into the wall/ceiling through the pre-formed fixing holes provided (200mm centres recommended).



FIX




Fixings must be appropriate for the barrier- Min. 7g screws for framed wall.

INSTALLATION METAL ACCESS PANELS

MASONRY

Click here to go back to Contents

MARK



Mark and cut out hole the same size as the access panel. You can use the panel as the template. For a 600 x 600mm nominal APM, the ideal cutout size is 600 x 600mm.

FIT




With the door open, screw the frame into the wall/ceiling through the pre-formed fixing holes provided (400mm centres recommended).

FIX



Fixings must be appropriate for the barrier - Min. 6mm masonry anchors for concrete/masonry wall.



TECHNICAL DRAWING


METAL

Note: All measurements are in millimeters (mm)




Frame Type

LOW PROFILE - 30mm DEPTH




FLANGED EDGE (FEATHERED EDGE) Picture Frame




WET WALL (SET BEAD) Concealed Frame

Frame Type


FULL PROFILE - 54mm DEPTH




FLANGED EDGE (FEATHERED EDGE) Picture Frame



WET WALL (SET BEAD) Concealed Frame



PLASTERBOARD
Install Profile



MASONRY
Install Profile

Click here to go back to Contents

TECHNICAL DRAWING


TOUCH LATCH

Note: All measurements are in millimeters (mm)




Frame Type

LOW PROFILE - 42mm DEPTH



FLANGED EDGE
(FEATHERED EDGE) Picture Frame




WET WALL
(SET BEAD) Concealed Frame


Click here to go back to Contents

Frame Type


FULL PROFILE - 65mm DEPTH




FLANGED EDGE
(FEATHERED EDGE) Picture Frame



WET WALL
(SET BEAD) Concealed Frame



PLASTERBOARD
Install Profile



MASONRY
Install Profile

FAQ

Q Can we install this panel into a floor?

A No, these metal access panels are for wall and ceiling applications only.

Q Can you fit a smoke seal to this panel?

A Yes, access panels can be custom manufactured to your size requirements and a smoke seal fitted. Call the Trafalgar Access team on 1800 888 714 to discuss.

Q Can we use this panel in a fire rated wall or ceiling?

A No, these metal access panels are not fire rated. Please refer to our [website for our Fire Rated Access Panel](#) range.

Q Do these panels have an acoustic rating?

A No, these metal access panels do not have an acoustic rating. Please refer to our [website for our Acoustic Rated Access Panel](#) range.

Q Can we install this panel externally?

A A stainless steel panel is recommended for external use.

Q I have an unusual shape and size requirement. Can you manufacture a bespoke panel?

A Yes, access panels can be custom manufactured to your shape and size specifications.

Q Can you manufacture a screw fixed Metal Access Panel?

A Yes, call the Trafalgar Access team on 1800 888 714 to discuss.

Q Can you fit a Perspex viewing window to the access panel door?

A Yes we can. Call the Trafalgar Access team on 1800 888 714 to discuss.

Q Can you punch/cut out sections in the access panel door for my specific requirements?

A Yes we can. Call the Trafalgar Access team on 1800 888 714 to discuss.

Click here to go back to Contents

SOCIAL MEDIA



LinkedIn

YouTube